

COUNCIL OF THE ISLES OF SCILLY
APPLICATION TO ERRECT SCAFFOLDING ON THE PUBLIC HIGHWAY

To the Chief Technical officer, Council of the Isles of Scilly,

I, the undersigned, herby apply for permission to erect scaffolding over part of the public highway as detailed below:

Location of site

.....
.....

.....Contact No.

.....

Period of Erection: Date From Date To

.....

Length of Scaffolding

..... meters

Width of Scaffolding out from Building ..

..... meters

Height of Scaffolding

..... meters

For the purpose of

.....
.....

Adequate and suitable Public Liability Insurance must be carried by the applicant, their contractors and sub-contractors. (The Council will require evidence of this with the application).

In consideration of permission being given by the Council for the foregoing work, I undertake to carry out the work expeditiously and remove any scaffolding as soon as possible afterwards.

I further undertake to indemnify the Council against any claims demands for injury or damage to persons or property caused by any of my operations. I agree to comply with the conditions of permission.

Signature of applicant

.....

Name of applicant

.....

Address

.....

.....

..... Date

.....

The term 'Public Highway' includes the road and adjacent pavements.

This application form is to be returned to the Chief Technical Officer at the Town Hall at least seven days before it is proposed to erect the scaffolding. No scaffolding is to be erected until permission has been given.

Please retain a copy of this for your records.

Conditions:

Adequate and suitable Public Liability Insurance is carried by the contractors and their sub-contractors. (The Council will require evidence of this with the application).

1. Scaffolding must be erected by persons properly trained.
2. Scaffolding must be erected in accordance with guidance notes issued by the Health and Safety Executive. Copies are available from the Town Hall.
3. Access ladders to scaffolding must be removed or made unclimbable at the end of each working day.
4. Scaffolding must be properly lit at night.
5. Notices must be placed at each end of the scaffolding, warning persons that work is proceeding overhead.
6. Proper measures must be taken to prevent articles falling onto the footpath.
7. Where the footpath is obstructed a properly guarded walkway must be provided around the scaffolding.