



LEGEND

———— AGD LOW LEVEL

----- AGD CONCEALED LEVEL

© COPYRIGHT EDP:
THIS DRAWING REMAINS THE PROPERTY OF EDP ENVIRONMENTAL.
NOTE: DO NOT SCALE FROM THIS DRAWING. ALL DIMENSIONS SHALL BE CHECKED ON SITE. ONLY FIGURED DIMENSIONS SHALL BE USED. IF IN DOUBT, ASK.
THIS DRAWING SHALL BE READ IN CONJUNCTION WITH ALL RELEVANT DRAWINGS, DOCUMENTS AND INFORMATION PREPARED BY THE ARCHITECT, OTHER CONSULTANTS AND SPECIALISTS.
THIS DRAWING SHALL BE READ IN CONJUNCTION WITH EDP ENVIRONMENTAL MECHANICAL & ELECTRICAL SERVICES SPECIFICATION & TECHNICAL SCHEDULES

HEALTH & SAFETY
STANDARD CONSTRUCTION HAZARDS THAT A COMPETENT CONTRACTOR WOULD BE AWARE OF DURING NORMAL WORKING PRACTICES ARE NOT IDENTIFIED ON THIS DRAWING.
RISKS THAT MAY NOT BE IMMEDIATELY APPARENT ARE LISTED BELOW.

- NOTES
1. THE ABOVE GROUND DRAINAGE SHALL BE INSTALLED TO COMPLY WITH BS EN 12056 AND BUILDING REGULATION PART H.
 2. WASTE PIPEWORK IS TO BE INSTALLED IN u.P.V.C PIPEWORK WITH A SOLVENT WELDED JOINTING SYSTEM AND FINAL CONNECTIONS TO THE SANITARY APPLIANCES VIA A MECHANICAL JOINTING SYSTEM.
 3. ALL VERTICAL AND HORIZONTAL PIPEWORK SHALL BE SUPPORTED BY THE MANUFACTURES RECOMMENDED PIPE SUPPORTS.
 4. ACCESS PIPE SHALL BE PROVIDED AT GROUND SOCKET CONNECTIONS AND RODING EYES AT CHANGES IN DIRECTION.
 5. THE ABOVE GROUND DRAINAGE IS TO BE CLEANED AND TESTED (WITNESSED BY THE BUILDING CONTROL OFFICER) BEFORE BEING ENCLOSED WITHIN BOXINGS.
 6. ALL OPEN ENDED PIPEWORK SHALL BE PLUGGED OFF TO PREVENT THE INGRESS OF DIRT AND DEBRIS DURING CONSTRUCTION. THE USE OF PLASTIC BAGS IS NOT ACCEPTABLE.
 7. ALL BRANCHES ARE TO BE INSTALLED WITH MAXIMUM LENGTHS AND GRADIENTS WHICH COMPLY WITH BUILDING REGULATIONS PART H.

P01	14.07.25	TENDER ISSUE
REV	DATE	REVISION DESCRIPTION
SCHEDULE OF REVISIONS		

Architects Model:
Structural Model:
Other Model:
Model Schedule Key: [Discipline] [Date Received] [Revision] [Specific Model Number]



HEAD OFFICE
EMBLEM HOUSE
PYNES HILL
EXETER, EX2 5BA
EXETER T: 01392 367 237
BRISTOL T: 01173 256 975
FAREHAM T: 01329 800 710
LONDON T: 02076 091 899
CHOBHAM T: 01276 300 280

CLIENT:
COUNCIL OF THE ISLES OF SCILLY

PROJECT:
PARK HOUSE, ISLES OF SCILLY
DRAWING TITLE:
ABOVE GROUND DRAINAGE
FIRST FLOOR

SERVICE TYPE:
PUBLIC HEALTH

DRAWING STATUS CODE:
ISSUED FOR TENDER

SCALE @ A1
1:50

INTERNAL PROJECT REF:
2606

DRAWING NUMBER:
2606-EDP-XX-01-DR-P-2001
PROJECT NUMBER - ORIGINATOR - ZONE - LEVEL - TYPE - ROLE - SEQUENTIAL NUMBER

Designed by:	Drawn by:	Checked by:	Revision:
NO	NO	SO	P01