



18mm	Vertical Timber Cladding (H21/110A)
25mm	Timber Battens (Horizontal) (H21/135)
38mm	Timber Battens (Vertical)(H21/135)
	Breather Membrane (H21/130 & P10/320A)
100mm	Blockwork (F10)
50mm	Cavity
50mm	50mm Rigid Insulation
100mm	Blockwork (F10)
15mm	1 x 12.5mm Plasterboard on dabs(K10/205A) with 2.5mm thistle multi-finish plaster




15mm Plasterboard (K10/185A)
100 x 440mm Block (F10/355B)
Cavity width to suit existing wall thickness
100 x 440mm Block (F10/355B)
15mm S&C Render


15mm Gyproc SoundBloc with 2.5mm Thistle Multifinish
92mm S 50 C stud
15mm Gyproc SoundBloc with 2.5mm Thistle Multifinish




15mm Gyproc SoundBloc MR with 2.5mm Thistle Multifinish
92mm S 50 C stud
15mm Gyproc SoundBloc MR with 2.5mm Thistle Multifinish
100mm Isover Modular Roll




15mm Plasterboard (K10/185B)
100 x 440mm Block (F10/355B)
15mm Plasterboard (K10/185B)



15mm Plasterboard (K10/185B)
100 x 440mm Block (F10/355B)
Cavity width to suit existing wall thickness
100x440mm Block (F10/355B)
15mm Plasterboard (K10/185B)



Existing blockwork wall with 13mm plaster
35mm Gypframe GL1 Liner Channel
25mm Isover Acoustic Partition Roll (APR1200) between channels
15mm Gyproc SoundBloc



15mm Gyproc SoundBloc F with 2.5mm Thistle Multifinish
92mm S 50 C stud
15mm Gyproc SoundBloc F with 2.5mm Thistle Multifinish

Well Lining 1:

5mm Plaster Skim Finish to Existing External Wall
(K10/681A)



Dimensions to new lightweight partitions taken to metal studwork unless otherwise stated.

D2	P34	08.06.2018	REISSUE FOR TENDER
S3	P32	29.05.2018	Model Update & Issue
D3	P30	29.01.2018	CONSTRUCTION ISSUE
D2	P27	12.12.2017	Amendments for Building Control
D2	P26	15.11.2017	REISSUE FOR TENDER
D2	P24	13.11.2017	BUILDING CONTROL ISSUE
D2	P20	09.11.2017	TENDER ISSUE
S3	P16	10.10.2017	First Issue - For client comment and review
S0	P13	09.10.2017	WIP Issue for Co-ordination

STATUS	REV	DATE	DESCRIPTION	
CLIENT				REVISED BY
Council of the Isles of Scilly				KS
				CHECKED BY
				GF
				ORIGINATOR NO
				150457

CONSULTANT

STRIDE TREGLOWN

www.stridetreglow.com © Stride Treglow Limited 2016

PROJECT

Carn Gwavel
Church Road
St Mary's
Isles of Scilly
TR21 0NA

DRAWING TITLE

Setting Out Plan - Ground Floor

SUITABILITY STATUS		SCALE	
D2 : SUITABLE FOR TENDER		As indicated @ A1	
PROJECT ORIGINATOR ZONE LEVEL TYPE ROLE CLASSIFICATION NUMBER			REVISION
150457-STL-XX-00-DR-A-XXXX-11001			P34