



Fire Strategy Plan - Ground Floor  
1 : 50



**FIRE STRATEGY KEY:**

Additional symbols are included in order to illustrate other relevant protective measures:

Travel Distance (Escape Route) -----

**Manual Call Point (Break Glass)**

**Fire Alarm Master Panel**

**Fire Alarm Remote Panel**

**Final Exit**

**Fire Blanket**

**FIRE RATED CONSTRUCTIONS:**

- 30 Minutes Fire Rated Construction
- 60 Minutes Fire Rated Construction
- 90 Minutes Fire Rated Construction
- 120 Minutes Fire Rated Construction
- 60 Minute Compartment Line

**FIRE DOORS:**

Fire Rated Doors are to be provided in accordance with BS8214:2008. Fire test certification is to be provided for all fire door variations. Fire doors are generally to be self closing unless noted otherwise in the door/ ironmongery schedule.

- 30 minute fire rated doorset Electro-magnetic hold open device. Provided in accordance with BS EN 1155.
- 60 minute fire rated doorset Vision panel as early warning.

**NOTE:**

- Assembly point to be confirmed by building user / occupier.
- Fire blanket and fire extinguisher positions / quantities to be agreed with the end users and local fire brigade.
- Fire escape signage and emergency lighting TBC with M&E Consultant.

D2	P26	15.11.2017	REISSUE FOR TENDER
D2	P24	13.11.2017	BUILDING CONTROL ISSUE
D2	P20	09.11.2017	TENDER ISSUE
S3	P18	24.10.2017	Building Control Issue
S3	P16	10.10.2017	First issue - For client comment and review

STATUS	REV	DATE	DESCRIPTION	REVISED BY
CLIENT				KS
Council of the Isles of Scilly				CHECKED BY
				GF
				ORIGINATOR NO
				150457

CONSULTANT

**STRIDE TREGLOWN**

www.stridetreglown.com © Stride Treglown Limited 2016

PROJECT

Carn Gwavel  
Church Road  
St Mary's  
Isles of Scilly  
TR21 0NA

DRAWING TITLE

Fire Strategy Plan - Ground Floor

SUITABILITY STATUS	SCALE
D2 : SUITABLE FOR TENDER	As indicated @ A1
PROJECT   ORIGINATOR   ZONE   LEVEL   TYPE   ROLE   CLASSIFICATION   NUMBER	REVISION
150457-STL-XX-00-DR-A-XXXX-81001	P26