

Project No. 150457

Client: Council of the Isles of Scilly

Tender Issue 10/11/2017

STRIDE TREGLOWN
ARCHITECTURE

Carn Gwavel School

10 November 2017

This document includes:

Code	Section	Revision	Dated
H65	Single lap roof tiling		

H65 Single lap roof tiling

To be read with Preliminaries/ General conditions.

TILING GENERALLY

220 REMOVING EXISTING TILING

- General: Carefully remove tiles, battens, underlay, etc. with minimum disturbance of adjacent retained tiling.
- Undamaged tiles: Set aside for reuse.

EDGES/ JUNCTIONS/ FEATURES

305 GENERALLY

- Fittings and accessories: As recommended by tile manufacturer. Do not improvise.
 - Exposed fittings and accessories: To match tile colour and finish.
- Cut tiles: Cut only where necessary, to give straight, clean edges.
- Flashings: Fix with or immediately after tiling. Form neatly.

355 VENTILATED EAVES - SEPARATED GRILLES/ TRAYS

- Fascia grilles:
 - Manufacturer: Glidevale.
 - Product reference: FV100 Over Fascia Ventilator.
- Ventilator trays:
 - Manufacturer: Glidevale.
 - Product reference: RV RAFTER VENTILATORS.
 - Fix to provide free passage of air over insulation.
- Underlay support: Protect EAVES SKIRT.
 - Continuous to prevent water retaining troughs.
- Gutter: Dress underlay or underlay support tray to form drip into gutter.
- Eaves filler units for profiled tiles: Fix to close underside of first course tiles.
- First course tiles: Fix with tails projecting 50 mm over gutter or to centre of gutter, whichever dimension is the lesser.

840A TILE ROOF VENTILATORS

- Manufacturer: Hambleside Danelaw Ltd.
 - Web: www.hambleside-danelaw.co.uk.
 - Email: marketing@hambleside-danelaw.co.uk.
 - Tel: +44 (0)1327 701900.
 - Address: Hambleside Danelaw Ltd, Long March, Daventry, Northamptonshire. NN11 4NR.
 - Product reference: HD TV15/3 Tile roof vent
- Colour: Brown.
- Adapter: TVSPA.
- Requirement: For attachment.