

External Door Schedule


Mark	Type Mark	Width	Height	Level Threshold	Drained Threshold	Door Swing	Fire Door	Comments	Description
ED01	Type C	1150	2110	Yes	Yes	Outward	No	Doorbell to be provided by client	RAL colour 7016 - Anthracite grey
ED02	Type C	1150	2110	Yes	Yes	Outward	No	Doorbell to be provided by client	RAL colour 7016 - Anthracite grey
ED03	Type B	1010	2110	Yes	Yes	Outward	No	Fire exit only	RAL colour 7016 - Anthracite grey

Notes:

Doors to be aluminium as Spec: L20/400A

All doors and ironmongery to suit marine environment.

Structural openings to be confirmed on site prior to door manufacture.



Type B - Aluminium, outward opening, toughened glazed door, with mid rail as spec

Type C - Aluminium, outward opening, toughened glazed door, with mid rail as spec

External Door Type Elevations
1 : 20

STATUS	REV	DATE	DESCRIPTION
D2	P26	15.11.2017	REISSUE FOR TENDER
D2	P24	13.11.2017	BUILDING CONTROL ISSUE
D2	P20	09.11.2017	TENDER ISSUE
S3	P18	24.10.2017	Building Control Issue
S3	P16	10.10.2017	First issue - For client comment and review
S0	P13	09.10.2017	WIP Issue for Co-ordination

CLIENT	REVISOR
Council of the Isles of Scilly	KS
	CHECKED BY
	GF
	ORIGINATOR NO
	150457

CONSULTANT
STRIDE TREGLOWN
www.stride-treglow.com © Stride Treglow Limited 2016

PROJECT
Carn Gwavel
Church Road
St Mary's
Isles of Scilly
TR21 0NA

DRAWING TITLE
External Door Schedule

SUITABILITY STATUS	SCALE
D2 : SUITABLE FOR TENDER	1 : 20 @ A3

PROJECT ORIGINATOR ZONE LEVEL TYPE ROLE CLASSIFICATION NUMBER	REVISION
150457-STL-XX-XX-DR-A-XXXX-71001	P26