


EDG01
Office

New aluminium door set
with 750x500mm glazed
panel & internal push pad




Internal door information

Ironmongery shown on door types is typical only, refer to door schedule.

All dimensions relate to structural opening sizes. Tolerances to be agreed between manufacturer and PM prior to fabrication. Exact site dimensions are to be undertaken by the Contractor prior to fabrication.

Ironmongery setting out dimensions

- a. 930mm to centre line of pull handle or spindle.
- b. primary hinges - centre lines 250mm from top/bottom of door leaf.
- c. third hinge - centre line 250mm from centre line of top hinge.
- d. 1500 mm to centre of digital lock.



Chartered Architects
Chartered Building Surveyors
Interior Designers
CDM Services

Windward House, Fitzroy Road
Exeter, Devon EX1 3LJ
+44 (0)1392 266 890
www.kendallkingscott.co.uk

Project
Fire Precation Works @
St Mary's General Hosptital
Client
Community 1st Cornwall

Scale
1:50
Paper Size
A3
Filename
© Copyright
Do not scale this drawing

Rev	Date	By	Ap	Note
Drawing Title				
PROPOSED EXTERNAL DOOR				
Project Number		Drawing Number - Revision		
160369		AC(3)05		
Date	Drawn	Checked	Status	
13/13/17	glm	WD	PRELIMINARY	
Check all dimensions and levels on site				