

Council of the Isles of Scilly Planning Application

Ref: P/22/077/FUL

RECEIVED

By Liv Rickman at 2:58 pm, Dec 16, 2022

The following planning application has been made by the Council of the Isles of Scilly and is accompanied by an Environmental Statement.

Consultation Request

Date: 16th November 2022

PLANNING REFERENCE

P/22/077/FUL

DEVELOPMENT PROPOSED:

Application for the installation of geobags at Periglis to replace the core of existing dunes, wrapped in geotextile and covered with excavated material and to stabilise the dune crest with geomat to encourage re-vegetation. Installation of rock bags at Porth Coose to heighten the existing protection, backed by earth bund and installing rock armour at the bottom of the existing sea wall at Porth Killier. To reduce the risk of coastal flooding on St Agnes (EIA Development) (Major Development)

LOCATION:

Land Adj To Waste Site, The Quay, St Agnes, Isles Of Scilly

WEBPAGE:

<https://scilly.gov.uk/planning-application/planning-application-p22077ful>

You are being consulted on this application as you may wish to make comments before a decision is made. Should you wish to make any comments on this application, please complete the response form below or write to us returning it to planning@scilly.gov.uk by 16th December 2022 or by post to the Planning Department, Town Hall, The Parade, Hugh Town, St Mary's, Isles of Scilly TR21 0LW.

I look forward to receiving your comments in due course. If I have not heard back from you by the 16th December 2022 then I will assume you have no comments to make.

Consultee Name: Cornwall Archaeological Unit

Thank you for consulting us on this application. We have consulted the Cornwall & Isles of Scilly Historic Environment Record, the submitted documents and further information provided by the agent and, in this instance, due to the limited groundworks and previous disturbance to create sea defences, we consider it unlikely that significant archaeological remains will be disturbed by the proposed development at Porth Coose and Periglis.

We understand that the applicant is in consultation with Historic England about the implications of the proposed works at Porth Killier on the Scheduled prehistoric settlement and field system (NHLE 1014998) which is likely to require archaeological mitigation via the Scheduled Monument Consent process.

Council of the Isles of Scilly Planning Application

Ref: [P/22/077/FUL](#)

As no archaeological mitigation is required at Porth Coose and Periglis, no archaeological condition is sought.

Name: Peter Dudley

Date: 16/12/2022