
 Luminaire B
Supplier	Ligman
Type	LEE-30001-T4-W30
Lamp(s)	4 LED 3000K
Lamp Flux (klm)	0.61
Maintenance Factor	1.00
No. in Project	10

Grid 1 Horizontal Illuminance (lux)



	
PROJECT NAME: Tregarthans Hotel	
PROJECT No: 2957-DFL-ELG-XX-LD-EO-13001	
SCALE: 1:200	DATE: 13 October 2023
CALCULATION: Horizontal Illuminance (lux)	
DESIGNER: DFL-UK (AJB)	
<p>> Indicative light spill diagram. > Not for construction. > Initial light levels shown. > Light spill diagram does not consider blocking or shading effects of light limiting objects and represents worst-case horizontal light spill at ground floor level. > Light spill diagram to be read in conjunction with Lighting Strategy: 2957-DFL-ELG-XX-RP-EO-13001-S3 > This diagram excludes existing luminaires, however cumulative impact has been taken into consideration during the design process.</p> <p>Isolux contours shown: 5 Lux: pink 0.2 Lux: yellow 0.1 Lux: black</p> <p>Page Size: A2 Scale: 1:250</p>	
CHECKED BY: AL	APPROVED BY: AL
REVISION: P02	SUITABILITY: S3
PREPARED BY: DFL-UK +44 (0)1962 855080 17/18 City Business Centre, Winchester Hants, SO23 7TA. e-mail: info@df-uk.com website: www.dfl-uk.com	