

BAT PRESENCE/ABSENCE SURVEYS (PAS)

10 THE STRAND,
HUGH TOWN, ST MARY'S, ISLES OF SCILLY



Client: Cathy & Kevin Newman

Our reference: 24-9-5

Planning reference: Produced in advance of submission

Report date: 22nd June 2025

Author: James Faulconbridge BSc (Hons), MRes, MCIEEM

████████████████████

Executive Summary

Overview
A total of two Presence/Absence Surveys (PAS) were undertaken on the residential property known as 10 The Strand in Hugh Town, St Mary's, Isles of Scilly. The results of these PAS surveys are compiled in this report which should be read alongside the Preliminary Roost Assessment (PRA) report for this site.
Results
The surveys did not identify any bats emerging from the property. The surveys recorded individual common pipistrelle bats in flight on both occasions – these were foraging or commuting individuals which were not associated with the property itself. No other bat species were recorded.
Conclusion
The survey evidence accords with the Best Practice Guidance requirements to conclude 'Probable Absence' of bats. No further surveys are required and there is no requirement for a European Protected Species Mitigation Licence (EPSML).
Mitigation Strategy
A precautionary method of working would represent good practice during construction and renovation works – outline recommendations are provided in this report. Recommendations to enhance the provision of roosting habitat for local bat populations are provided in this report.
Planning Recommendations
The PRA and PAS reports together provide an appropriate ecological baseline for the purposes of assessing the Planning Application. No further surveys would be required.

Table of Contents

Executive Summary.....	2
Table of Contents.....	3
1. Introduction.....	4
1.1. Background to Surveys	4
1.2. Survey Objectives	4
2. Survey Methodology.....	5
2.1. Surveyor Details.....	5
2.2. Survey Methodology.....	5
2.3. Survey Validity and Update.....	6
3. Results.....	7
3.1. Surveyor Positions	7
3.2. PAS Survey 1	7
3.3. PAS Survey 2.....	7
3.4. Summary and Evaluation.....	8
3.5. Limitations and Constraints	8
4. Mitigation Strategy	9
4.1. EPSML Requirement.....	9
4.2. Precautionary Method of Works.....	9
4.3. Timing of Works.....	9
4.4. Habitat Enhancement / Mitigation	9
Appendix 1 - Precautionary Method Statement with regards to Bats.....	10
Appendix 2 – NVA Screenshots	12

1. Introduction

1.1. Background to Surveys

The scope of the survey includes the end-terrace property known as 10 The Strand located on The Strand in Hugh Town.

The proposed works include the Replacement of the wet-laid scantle tile roof covering on the main property.

A Preliminary Roost Assessment (PRA) of the site undertaken in September 2024 identified Moderate Potential for use by roosting bats.

The PRA report stated that further PAS surveys would be required to provide an evidence base sufficient to identify the status of the building with regards to bats, and inform any mitigation measures required to ensure legislative compliance. This PAS report provides the results of the recommended surveys. It should be read alongside the PRA report to provide a comprehensive assessment of the site with regards to ecological receptors.

1.2. Survey Objectives

In accordance with the Best Practice Guidance¹, the relevant aspects of the building were subject to two PAS surveys with two surveyors with Night Vision Aids (NVAs) positioned to observe those locations where potential access or roosting features were identified. An additional NVA was used to ensure full coverage of the western aspect of the property.

The overall objective is to provide a comprehensive baseline upon which to assess the potential impact of the proposed works on roosting bats.

¹ Collins, J. (ed.) (2023) Bat Surveys for Professional Ecologists: Good Practice Guidelines (4th edition).
The Bat Conservation Trust, London

2. Survey Methodology

2.1. Surveyor Details

The surveys were led by Darren Hart. Darren has undertaken Professional Bat Licence training and is a Level 2 Licenced Bat Worker with experience in undertaking emergence, re-entry and activity surveys.

Additional surveyors are experienced in undertaking emergence and re-entry surveys and worked under the supervision of the Licenced Bat Worker.

The NVA review, assessment and reporting were completed by James Faulconbridge, trading as IOS Ecology. James is a Level 2 Licenced Bat Worker with over 15 years' experience in undertaking ecological assessments to support Planning and Development.

2.2. Survey Methodology

The dusk emergence surveys were conducted following Best Practice methodology for bat surveys.

The two PAS surveys were carried out on the evenings of 22nd May 2025 and 19th June 2025 – scheduled over three weeks apart in accordance with Best Practice guidance.

The dusk emergence surveys commenced from approximately 15 minutes before sunset and continued until 90 minutes after sunset. The surveys were undertaken with regard for the appropriate weather conditions ($\geq 10^{\circ}\text{C}$ at sunset, no/light rain or wind).

Frequency division bat detectors were used to detect and record all bat passes. The surveyor recorded metadata including the time the pass occurred, the behaviour observed (foraging/commuting) and where possible, the species of bat observed. Results from the bat detector recordings were analysed using BatSound/Analook sonogram analysis computer software.

Night Vision Aids (NVAs) were used at each surveyor position and an additional location to ensure comprehensive coverage – these comprised three Nightfox Whisker infra-red cameras with additional infra-red torches. The footage from these NVAs was watched back to verify or amend the survey results confirmed in the field.

2.3. Survey Validity and Update

Bats are transient in their use of roosting habitats, and apparently minor changes in condition or use of the building can affect suitability. However in the absence of significant changes in condition or building use, the nature and character of the site suggest that the PAS survey can be considered valid for a period of 12 months after the survey was completed, until June 2026.

3. Results

3.1. Surveyor Positions

In order to ensure that the building received a survey effort in line with the Best Practice Guidance appropriate to its potential (as identified in the PRA survey) there were two surveyor positions at the front and rear of the property respectively.

3.2. PAS Survey 1

3.2.1. Survey Conditions

The first dusk survey was undertaken on 22nd May 2025. The survey commenced at 8:58pm, approximately 15 minutes before sunset at 9:13pm. It was completed at 10:43pm.

The temperature throughout the survey was 14°C. The evening was mild with a fresh breeze and a clear sky. There was no precipitation.

3.2.2. Survey Results

The survey did not identify any emergence activity.

3.2.3. Bat Activity Results

One common pipistrelle bat was recorded foraging briefly in the courtyard garden of the property by the surveyor to the rear at 09:56pm. The bat flew in from the south and left the site in the same direction.

Two passes by common pipistrelle were recorded by the surveyor positioned at the front of the property at 10:04pm and 10:30pm – associated with Holgates Green which lies across the road to the north of the property.

3.3. PAS Survey 2

3.3.1. Survey Conditions

The second dusk survey was undertaken on 19th June 2025. The survey commenced at 9:22pm, approximately 15 minutes before sunset at 9:37pm. It was completed at 11:07pm.

The temperature throughout the survey was 17°C. The evening was dry and overcast with a moderate breeze which felt more sheltered in the microclimate of the site due to the shelter of the surrounding buildings. There was no precipitation.

3.3.2. Survey Results

The survey did not identify any emergence activity.

3.3.3. Bat Activity Results

Two passes by common pipistrelle were recorded by the surveyor positioned at the front of the property at 10:27pm and 10:51pm – associated with Holgates Green which lies across the road to the north of the property. The latter pass recorded brief foraging behaviour.

No bats were recorded by the surveyor positioned to the rear of the property.

3.4. Summary and Evaluation

3.4.1. Overview

The surveys did not identify any bats emerging from the building – this is sufficient to conclude ‘Likely Absence’ in accordance with the Best Practice Guidance.

3.4.2. Requirement for Further Surveys

No further surveys are required to provide an appropriate ecological baseline in accordance with the Best Practice Guidance.

3.5. Limitations and Constraints

3.5.1. Seasonal Timing

The surveys were undertaken within the main active season in 2025 and spaced more than three weeks apart – this conforms with the recommended survey timings within the Good Practice Guidelines.

3.5.2. Survey Conditions

The weather conditions were optimal with no precipitation or other adverse conditions which might be expected to affect bat behaviour.

3.5.3. Visibility and Coverage

The surveys were comprehensive with regards to surveyor visibility.

3.5.4. NVA Footage

The NV camera Field of Vision (FOV) covered the areas under survey – see Appendix 2 for example screenshots from the footage.

4. Mitigation Strategy

4.1. EPSML Requirement

The project does not require a European Protected Species Mitigation Licence (EPSML) to proceed.

4.2. Precautionary Method of Works

As individual bats can be exploratory or make transient use of roosting opportunities, it is important that contractors undertaking the proposed works are aware of the low risk for bats to be encountered - works should therefore proceed with appropriate caution and vigilance.

A Precautionary Method of Works (PMW) is outlined in Appendix 1 of this document and should be followed by contractors undertaking works.

4.3. Timing of Works

4.3.1. Bats

The results of the PRA/PAS surveys do not indicate that there is a requirement for seasonal constraints on the timing of works with regards to bats.

4.3.2. Nesting Birds

Assessment of potential for nesting birds, and appropriate mitigation measures, are provided in the PRA report. These recommendations are not repeated here, for brevity.

4.4. Habitat Enhancement / Mitigation

The proposals would not directly affect any confirmed roosts, commuting routes or foraging habitat – therefore no habitat creation or enhancement is required.

Appendix 1 - Precautionary Method Statement with regards to Bats

The purpose of this Method Statement is to ensure that proposed works can proceed where presence of bats has been determined to be unlikely, but a precautionary approach is still advisable. It has been determined that direct harm to roosting bats during the proposed works would be highly unlikely.

Contractors should, however, be aware of **their own legal responsibility with respect to bats**:

Relevant Legislation regarding Bats

The Conservation of Habitats and Species Regulations 2017, or the 'Habitat Regulations 2017', transposes European Directives into English and Welsh legislation. Under these regulations, bats are classed as a European Protected Species and it is, therefore, an offence to:

- *Deliberately kill, injure or capture bats;*
- *Deliberately damage or destroy bat roosts.*

A bat roost is commonly defined as being any structure or place that is used as a breeding site or resting place, and since it may be in use only occasionally or at specific times of year, a roost retains such a designation even if bats are not present.

Bats are also protected from disturbance under Regulation 43. Disturbance of bats includes in particular any disturbance which is likely:

(a) *To impair their ability -*

- *to survive, to breed or reproduce, or to rear or nurture their young; or*
- *in the case of animals of a hibernating or migratory species, to hibernate or migrate; or*

(b) *To affect significantly the local distribution or abundance of the species to which they belong.*

Bats also have limited protection under the Wildlife and Countryside Act 1981 (as amended) and the Countryside Rights of Way Act 2000 (as amended). It is, therefore, an offence to:

- *Intentionally or recklessly destroy, damage or obstruct any structure or place which a bat uses for shelter or protection.*
- *Intentionally or recklessly disturb bats whilst occupying any structure or place used for shelter or protection.*

Contractors should be aware of **where bats are most likely to be found in respect to the existing building**. The generic recommendations relating to each type of feature are outlined below – locations where these features occur are listed in the PRA report:

Fascias

There are occasional gaps where the fascias meet the walls - where these are to be removed or impacted as part of the proposed works, they should be carefully removed and the gaps behind them exposed in such a way that, in the unlikely event that bats are present, they are not injured or killed by the action.

Once these areas are fully exposed, they can be visually inspected by contractors. Any cavities exposed by this action should also be carefully inspected and features dismantled by hand where necessary until absence of bats can be confidently confirmed.

Contractors should be aware of **the process to follow in the unlikely event of finding bats** or evidence indicating that bats are likely to be present:

If bats are identified or suspected, works should cease and the named ecologist contacted immediately for advice.

If the bat is in a safe situation, or a situation which can be made safe, they should remain undisturbed.

Only if the bat is in immediate risk of harm can the bat be moved with care and using a gloved hand. This is a last resort and should only be undertaken for humane reasons if the bat is at immediate risk of harm **and** if the ecologist cannot be contacted for advice.

Appendix 2 – NVA Screenshots



NVA S1 – showing footage from the Nightfox Whisker at surveyor position S1 at the front of the property covering both the northern eaves and roof, and the eastern gable.



NVA S2 – showing footage from the Nightfox Whisker at surveyor position S2 at the rear of the property covering the southern eaves and roof.